

Bonding Agent for Resin-based Dental Restorations

AQ Bond Plus

- *No etching, just one coat*
- *Chemically-activated sponge eliminating mixing*
- *Any curing light*
- *Thin but robust film*
- *High bond strength*




Only 33 seconds!!



AQ Bond Plus



• Direct restoration with composite



Applying

Light-curing

Polishing the cured composite


Completed

EASY, 33-SECOND BONDING

No etching, just one coat

The entire bonding procedure takes 33 seconds, start-to-finish.

O N L Y 33 SECONDS!!



Apply
20 sec


Dry
10 sec

Light-cure(Xenon)
3 sec

CHEMICALLY-ACTIVATED SPONGE


Sponge Activators contain polymerization initiator

Always use AQ Bond Plus with Sponge activators.



THIN BUT ROBUST FILM

Only 3 microns but almost no post-op sensitivity



AQ Bond Plus Competitive product


Though only a single application is required, the robust coat blocks both mechanical and chemical stimuli to dentin-pulp complex.

The thin bonding layer results in aesthetic margins and perfect contacts between adjacent teeth.

HIGH BOND STRENGTH

Strong bonds to enamel, dentin and resin composite...thanks to its 4-META monomer

AQ Bond Plus penetrates the tooth to form 4-META hybrid layer and leaves the surface protected by a robust resin film.



Composite Layer

Bonding Layer

Hybrid Layer

Dentin

ANY COMPOSITE , ANY LIGHT

Halogen, Xenon (Plasma Arc) or even LED

AQ Bond Plus adheres to all types of composite (light-cure, self-cure, dual cure) and cures with any light.